



NOTE  
 1. CONTACT PLATING  
 CONTACT AREA: Pd/Ni 0.5 $\mu$ m  
 +GOLD 0.1 $\mu$ m MIN.  
 TERMINAL AREA: GOLD 0.05 $\mu$ m  
 ALL OVER NICKEL UNDERPLATED

9	PROTECT COVER	PPS	1	—	UL94V-0 BLACK
8	INSULATOR B	LCP	4	—	UL94V-0 BLACK
7	SPACER	STAINLESS STEEL	1	NICKEL PLATING	—
6	BOARD LOCK	PHOSPHOR BRONZE	2	NICKEL PLATING	—
5	SQR. NUT	BRASS	4	NICKEL PLATING	M2x0.4
4	SHELL	STEEL	2	NICKEL PLATING	—
3	INSULATOR A	PPS	1	—	UL94V-0 BLACK
2	CONTACT	PHOSPHOR BRONZE	200	SEE NOTE 1	—
1	BRACKET	PPS	1	—	UL94V-0

LTR.	DATE	BY	REV.	DESCRIPT	No.	PART NAME	MATERIAL	QTY	FINISH	NOTE
DATE		SCALE		UNIT		3RD. A. P				
Mar. 15. 2004		2/1		mm (INCH)						
APP. DATE&REV.		DR.		DE.		CHK.		CHK.		APP.
		Y. KATO		Y. KATO		—		C. NUNOKAWA		H. EBIHARA
NAME		0.8mm SPACING 100 POS. R/A DUAL STACKING FEMALE CONNECTOR								
PART NO.		HDRA-E100W ( ) LFDT1EC+								
REV.										

HDRA-E100W2LFDT1EC+	3.4	3.6	2.4	BROWN
HDRA-E100W1LFDT1EC+	2.08	2.28	1.6	BLACK
PART No.	A	B	P.C.B THICKNESS	COLOR OF BRACKET